



BLACKRHINO® SAFETY SHOES



BLACKRHINO® EXCLUSIVE BRE 0801 SERIES CATALOGUE



BRE 0801 QRK-S3
Boot Quick Release Rotary Knob-fitting System



SPECIFICATION:

- Warna : Brown / Black
- Tinggi : 8 Inch
- Outsole : Optimum Sole
- Upper : Waterproof Full Grain Cow Leather
- Toe Cap : Steel
- Insert Plate : Steel
- Construction : Genuine Goodyear Welt
- Insole : High Quality Poly Urethane, Anti Fungal, Anti Bacterial
- Basic Toe Protection
- Slip Resistance
- Anti Static
- Oil & Fuel Resistance
- Puncture Resistance
- Water Repellent
- Heel Energy Absorption
- Electrical Hazard
- Hot To Contact 300°C

BLACKRHINO® EXCLUSIVE BRE 0601 SERIES CATALOGUE



BRE 0601 QRK-S3

Ankle Quick Release Rotary Knob-fitting System



BRE 0601 QRL-S3

Ankle Quick Release Rotary Knob-fitting System



BRE 0601 QRN-S3

Ankle Quick Release Rotary Knob-fitting System



BRE 0601 QRZ-S3

Ankle Quick Release Zipper



SPECIFICATION:

- Warna : Brown / Black
- Tinggi : 6 Inch
- Outsole : Optimum Sole
- Upper : Waterproof Full Grain Cow / Nubuck Leather
- Toe Cap : Steel
- Insert Plate : Steel
- Construction : Genuine Goodyear Welt
- Insole : High Quality Poly Urethane, Anti Fungal, Anti Bacterial

- Basic Toe Protection
- Slip Resistance
- Anti Static
- Oil & Fuel Resistance
- Puncture Resistance
- Water Repellent
- Heel Energy Absorption
- Electrical Hazard
- Hot To Contact 300°C

BLACKRHINO® EXCLUSIVE BRE 0401 SERIES CATALOGUE



BRE 0401 QRL-S3
Pantovel Quick Release Rotary Knob-fitting System



BRE 0401 QRK-S3
Pantovel Quick Release Rotary Knob-fitting System



ASTM F2413:18



EN ISO 20345



STANDAR NASIONAL
INDONESIA 7037:2009

SPECIFICATION:

- Warna : Brown / Black
- Tinggi : 4 Inch
- Outsole : Optimum Sole
- Upper : Waterproof Full Grain Cow / Suede Leather
- Toe Cap : Steel
- Insert Plate : Steel
- Construction : Genuine Goodyear Welt
- Insole : High Quality Poly Urethane, Anti Fungal, Anti Bacterial

- Basic Toe Protection
- Slip Resistance
- Anti Static
- Oil & Fuel Resistance
- Puncture Resistance
- Water Repellent
- Heel Energy Absorption
- Electrical Hazard
- Hot To Contact 300°C



PT. BINA USAHA SEJAHTERA

RUKO BINTARO PERSADA BLOK A7-8

Jl. RC. Veteran Raya No.66 Bintaro

Jakarta Selatan - Jakarta 12330

☎ +6221-73887831

✉ info@binusa11009.com

www.binusa.co.id